

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	223	(monitor\$5 or detect\$4 or sens\$4) same (battery\$1 or power\$1 near5 supply\$1) same (condition\$1 or performance\$1) same (transmitter\$1 or transmit\$4 or sender\$1 or send\$4) same (tire\$1 or tyre\$1 or pneumatic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
L2	121	l1 and voltage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
L3	97	l2 and value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:59
L4	71	l3 and (controller\$1 or microprocessor\$1 or processor\$1 or microcontroller\$1 or cpu\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:00
L5	64	l4 and temperature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:01
L6	63	l5 and pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:02
L7	62	l6 and (receiver\$1 or receiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:37
L8	4	(compar\$4 or determin\$4) near5 (battery\$1 or power\$1 near5 supply\$1) with temperature\$1 near5 tire\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:43
L9	46	(compar\$4 or determin\$4) near5 (battery\$1 or power\$1 near5 supply\$1) and temperature\$1 near5 tire\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:43

L10	16	(compar\$4 or determin\$4) near5 (condition\$1 or abnormal\$1 or anormal\$1) near15 (battery\$1 or power\$1 near5 supply\$1) and temperature\$1 near5 tire\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:10
L11	1	(compar\$4 or determin\$4) near5 (deplet\$4 or drain\$4 or exhaust\$4 or condition\$1 or abnormal\$1 or anormal\$1) near15 (battery\$1 or power\$1 near5 supply\$1) near45 temperature\$1 near5 tire\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:12
L12	4	(compar\$4 or determin\$4) near5 (deplet\$4 or drain\$4 or exhaust\$4 or condition\$1 or abnormal\$1 or anormal\$1) near15 (battery\$1 or power\$1 near5 supply\$1) near45 temperature\$1 and (tire\$1 or tyre\$1 or pneumatic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:15
L13	14	(compar\$4 or evaluat\$4 or measur\$4) near15 (deplet\$4 or drain\$4 or exhaust\$4 or condition\$1 or abnormal\$1 or anormal\$1) near15 (battery\$1 or power\$1 near5 supply\$1) with temperature\$1 and (tire\$1 or tyre\$1 or pneumatic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:28
L14	198	(deplet\$4 or drain\$4 or exhaust\$4 or condition\$1 or abnormal\$1 or anormal\$1) near15 (battery\$1 or power\$1 near5 supply\$1) with temperature\$1 and (tire\$1 or tyre\$1 or pneumatic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:33
L15	155	l14 and (controller\$1 or microcontroller\$1 or processor\$1 or microprocessor\$1 or cpu\$1 or computer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:30
L16	47	(deplet\$4 or drain\$4 or exhaust\$4 or condition\$1 or abnormal\$1 or anormal\$1) near15 (battery\$1 or power\$1 near5 supply\$1) with temperature\$1 near25 (tire\$1 or tyre\$1 or pneumatic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 18:49
L17	12	monitor\$4 near5 condition\$1 near15 battery\$1 with temperature\$1 near25 (tire\$1 or tyre\$1 or pneumatic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 18:54

L18	8	monitor\$4 near5 battery\$1 near5 condition\$1 with temperature\$1 near25 (tire\$1 or tyre\$1 or pneumatic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 19:16
-----	---	---	---	----	-----	------------------